

ਦਫ਼ਤਰ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,ਪ੍ਰਾਂਤਕ ਉਪ ਮੰਡਲ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ,ਮੋਗਾ Email: sdepsdmogapwdpb@gmail.com

ਵੱਲ,

Principal; D.A.V.K.R.B Senior Secondary Public School, Kot-Ise-Khan,Moga.

ਨੰਬਰ 375 ਮਿਤੀ 09-09-2020

ਵਿਸ਼ਾਂ :- ਇਮਾਰਤ ਸੁਰਖਿਅਤ ਹੋਣ ਸਬੰਧੀ ਸਰਟੀਫਿਕੇਟ ਬਾਬਤ ਸਾਲ 2020-2021

ਉਪਰੋਕਤ ਵਿਸੇ ਦੇ ਸਬੰਧ ਵਿਚ ਆਪ ਜੀ ਦੇ ਸਕੂਲ ਦੀ ਇਮਾਰਤ ਦਾ ਨਿਰੀਖਣ ਸਬੰਧਤ ਜੂਨੀਅਰ ਇੰਜੀਨੀਅਰ ਵਲੋਂ ਕੀਤਾ ਗਿਆ ਅਤੇ ਇਮਾਰਤ ਮੁਰਖਿਅਤ ਪਾਈ ਗਈ ਇਸ ਲਈ ਹੁਣ ਇਸ ਇਮਾਰਤ ਦਾ ਸੁਰਖਿਅਤ ਹੋਣ ਸਬੰਧੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2020-2021 ਆਪ ਜੀ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਦਾ ਹੈ ਜੀ।

ਨੱਥੀ/ਸਰਟੀਫ਼ਿਕੇਟ।

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਾਂਤਕ ਉਪ ਮੰਡਲਭਤੇਮ ਸਾਖਾ, ਮੋਗਾ । 1

PROFORMA FOR SAFETY OF SCHOOL BUILDING PART-I (To be filled by the Head of School / Institute) DAV KRB Public School. Name of the School 1) Maga frand, Kot Ise Khan. 2) Location. 7. Acres Plot Area. 3) 9000 8 fit Plinth Area. 4) TWO Number of storey's 5) 1997 Year of construction of Building 6) If the building has been constructed under the 7) Pauminden Pal Singh. Armitsan Road, 16 of - Dic Dish . Mogs Supervision of the qualified Engineer, the following details may be given:a) Name of the Engineer with Qualification b) Address of Engineer e) Set of structural drawing used in the construction . Available d) Name & address of Architect with qualification : Whether the building has been constructed for the 8) Yes / No. Purpose school. Residential purpose and converted for use as a school Material used for Roof. 9) Yes / No a) R.C.C slab/ R.B.C Slabs Yes / Nor b) R.S. Joist & Battens. Yes No. V c) Wooden Joist & Battens Material used for walls . 10)Yes / Nov a) Mud Mortar. Yes / No. b) Cement Mortar. Yes/ No. c) Lime Mortar. Flooring. 11)a) Conglomerate b) Terrazzo (c) Brick Paving A detailed drawing indicating dimension of Room 12)Alongwith size and location of doors and windows (attached). For Fire Safety. 13)a) Weather the width of the staircase is 1.5 Mtr b) Weather portable fire exiting c) Weather School building is free from inflammable & toxic material d) Weather Cooking of food is done at a safe place Yes Nov e) Weather any thatch of combustible material as been Used

ないいというできたないのであるとないできたかでした。こうこ

14) Requirement for fire Protection Arrangements under NBC Part -IV

(For Building height Less than 1.5metre)a) Weather house Real provided.

- b) Weather down corner provided.
- c) Weather automatic sprinkler provided.
- d) Weather underground static water storage tank of Capacity 50,000 Ltr.(It converted are excess 1600sqm)
- e) Weather over head tank of capacity 10,000 Ltr. Exists (in case of house real) 20,000 Ltr.
- f) Weather one electric and one diesel pump of 3 kg/ cum Pressure of capacity 1620 LPM. One electric pump of Capacity 180LPM exist near underground static tank
- g) Weather a pump 3 Kg /cum preasur & 450/500 LPM Exist near over head tank

Yes Y No Yes No

Yes No

Yes No

Yes No

DAV KRB PUBLIC School Kol-lse-Khan

PART -- II Fe filled by the S.D.E. for PW/D (R&TR) Departme

(To be filled by the S.D.E for PWD (B&R) Department)

- a) I have visited the above mentioned school on date $1 \frac{9}{2000}$. And have been visually inspected it from all angles of safety and fined it fit for normal used as school buildings.
- b) In case and addition / alteration of expansion and modifications to this building is to be carried out the same be carried out under the supervision of a qualification Engineer and this certificate may be re-obtained after the completion from the undersigned.
- c) In case the building is affected by food, or if there is settlement of walls/ foundation of sagging of roofs etc. immediate inspection of the undersigned by arranged to check the stability and safety of the building.
- d) This building can be safety occupied for normal used upto (indicate upto which it can be used) Neliced gr. 31-3-2024 (2020-2021) one for only.

Sub Divisional Engineer, Provinicial Sub Division. PWD (B&R) Br. Maga.

Officer Stamp