




MARKING SCHEME SQP
MATHEMATICS (STANDARD)
2020-21
CLASS X

| S.NO. | ANSWER | MARKS |
|---------------|--|--|
| Part-A | | |
| 1. | (LCM)(3) =180 LCM=60 OR Four decimal places | $\frac{1}{2}$ $\frac{1}{2}$ 1 |
| 2. | $\alpha + \beta = k/3$ $3 = k/3$ $K = 9$ | $\frac{1}{2}$ $\frac{1}{2}$ |
| 3. | $\begin{array}{r} 3 & 1 & 3 \\ - & - & - \\ 6 & k & 8 \\ - & - & - \\ 3 & 1 & \\ - & - & \\ 6 & k & \\ K = 2 & & \end{array}$ | $\frac{1}{2}$ $\frac{1}{2}$ |
| 4. | Let the cost of 1 chair=Rs.x And the cost of 1 table=Rs. y $3x+y=1500$ $6x+y=2400$ | $\frac{1}{2}$ $\frac{1}{2}$ |
| 5. | $a_n = a + (n-1)d$ $0 = 27 + (n-1)(-3)$ $30 = 3n$ $n = 10$ 10^{th} OR $a_n = a + (n-1)d$ $4 = a + 6(-4)$ $a = -28$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 6. | $9x^2 + 6kx + 4 = 0$ $(6k)^2 - 4 \times 9 \times 4 = 0$ $36k^2 = 144$ $k^2 = 4$ $k = \pm 2$ | $\frac{1}{2}$ $\frac{1}{2}$ |


| | | |
|----|--|--|
| 7. | $\begin{aligned}x^2+7x+10=0 \\x^2+5x+2x+10=0 \\(x+5)(x+2)=0 \\X=-5, x= - 2\end{aligned}$ <p style="text-align: center;">OR</p> $\begin{aligned}3ax^2-6x+1=0 \\(-6)^2-4(3a)(1)<0 \\12a>36 \Rightarrow a>3\end{aligned}$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 8. | $\begin{aligned}PQ=PT \\PL+LQ=PM+MT \\PL+LN=PM+MN \\Perimeter(\triangle PLM) \\=PL+LM+PM \\=PL+LN+MN+PM \\=2(PL+LN) \\=2(PL+LQ) \\=2\times 28=56\text{cm}\end{aligned}$ | $\frac{1}{2}$ $\frac{1}{2}$ |
| 9. |  <p>In $\triangle PAO$ $\tan 30^\circ = AO/PA$ $1/\sqrt{3} = 3/PA$ $PA = 3\sqrt{3} \text{ cm}$</p> <p style="text-align: center;">OR</p>  <p>In $\triangle OPQ$ $\angle P + \angle Q + \angle O = 180^\circ$ $2\angle Q + \angle P = 180^\circ$ $2\angle Q + 90^\circ = 180^\circ$ $2\angle Q = 90^\circ$ $\angle Q = 45^\circ$</p> | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |


| | | | |
|-----|---|--------------------------------|-------|
| 10. | $\frac{AD}{BD} = \frac{AE}{CE}$ $\frac{3}{4.5} = \frac{2}{CE}$ $CE = 3\text{cm}$ | $\frac{1}{2}$ $\frac{1}{2}$ | |
| 11. | 8:5 | 1 | |
| 12. | $\sin 30^\circ + \cos B = 1$ $\frac{1}{2} + \cos B = 1$ $\cos B = 1/2$ $B = 60^\circ$ | $\frac{1}{2}$ $\frac{1}{2}$ | |
| 13. | $x+y$ $= 2\sin^2\theta + 2\cos^2\theta + 1$ $= 2(\sin^2\theta + \cos^2\theta) + 1$ $= 3$ | $\frac{1}{2}$ $\frac{1}{2}$ | |
| 14. | length of arc $= \theta/360^\circ(2\pi r)$ $= 60/360(2 \times 22/7 \times 21)$ $= 22 \text{ cm}$ | $\frac{1}{2}$ $\frac{1}{2}$ | |
| 15. | $\pi R^2 H = 12 \times 4 / 3 \pi r^3$ $1 \times 1 \times 16 = 4/3 \times r^3 \times 12$ $r^3 = 1$ $r = 1$ $d = 2\text{cm}$ | $\frac{1}{2}$ $\frac{1}{2}$ | |
| 16. | probability of getting a doublet $= 1/6$ OR probability of getting a black queen $= 2/52 = 1/26$ | 1 | |
| 17. | (a) iii) $(15/2, 33/2)$ (b) i) 4 (c) iii) 16 (d) iv) $(2.0, 8.5)$ (e) ii) $x - 13 = 0$ | 1x4=4 | |
| 18. | (a) iii) 15 cm (b) iv) They are not the mirror image of one another (c) ii) Their altitudes have a ratio a:b (d) iv) 5m (e) iii) 6m | | |
| 19. | (a) ii) $(4, -2)$ (b) i) Intersects x-axis (c) iii) parabola | | 1x4=4 |


| | | |
|-----|--|-------|
| | (d) ii) $x^2 - 36$ (e) iii) 0 | |
| 20. | (a) iii) 43 (b) iii) 60 (c) ii) Median (d) iii) 80 (e) iii) 31 | 1x4=4 |
| | | |
| | | |
| | | |
| | | |

| | Part-B | |
|-----|--|--|
| 21. | $4=2 \times 2$ $7=7 \times 1$ $14=2 \times 7$ $\text{LCM}=2 \times 2 \times 7=28$ The three bells will ring together again at 6:28 am | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 22. | Let $P(x, 0)$ be a point on X-axis $PA=PB$ $PA^2=PB^2$ $(x-2)^2+(0+2)^2=(x+4)^2+(0-2)^2$ $X^2+4-4x+4=x^2+16+8x+4$ $-4x+4=8x+16$ $X=-1$ $P(-1, 0)$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| | OR | |
| | $PR:QR=2:1$ $R\left(\frac{1(-2)+2(3)}{2+1}, \frac{1(5)+2(2)}{2+1}\right)$ $R(4/3, 3)$ | $\frac{1}{2}$ 1 $\frac{1}{2}$ |
| 23. | Sum of zeroes = $5-3\sqrt{2}+5+3\sqrt{2}=10$ Product of zeroes = $(5-3\sqrt{2})(5+3\sqrt{2})= 7$ $P(x)=X^2-10x+7$ | $\frac{1}{2}$ 1 $\frac{1}{2}$ |
| 24. |  | Line seg=1/2 Circles=1/2 Tangents =1/2+ $\frac{1}{2}$ |


| | | |
|-----|--|--|
| 25. | $\begin{aligned} \tan A &= 3/4 = 3k/4k \\ \sin A &= 3k/5k = 3/5, \cos A = 4k/5k = 4/5 \\ 1/\sin A + 1/\cos A &= 5/3 + 5/4 \\ &= (20+15)/12 \\ &= 35/12 \end{aligned}$ <p style="text-align: center;">OR</p> $\begin{aligned} \sqrt{3} \sin \theta &= \cos \theta \\ \sin \theta / \cos \theta &= 1/\sqrt{3} \\ \tan \theta &= 1/\sqrt{3} \\ \theta &= 30^\circ \end{aligned}$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 26. | $\angle A = \angle OPA = \angle OSA = 90^\circ$ Hence, $\angle SOP = 90^\circ$ Also, AP=AS Hence, OSAP is a square AP=AS=10cm CR=CQ=27cm BQ=BC-CQ=38-27=11cm BP=BQ=11 cm X=AB=AP+BP=10+11=21 cm | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 27. | Let $2-\sqrt{3}$ be a rational number We can find co-prime a and b ($b \neq 0$) such that $2-\sqrt{3} = a/b$ $2-a/b = \sqrt{3}$ So we get, $(2a-b)/b = \sqrt{3}$ Since a and b are integers, we get $(2a-b)/b$ is irrational and so $\sqrt{3}$ is rational. But $\sqrt{3}$ is an irrational number Which contradicts our statement Therefore $2-\sqrt{3}$ is irrational | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 28. | $\begin{aligned} 3x^2 + px + 4 &= 0 \\ 3(2/3)2 + p(2/3) + 4 &= 0 \\ 4/3 + 2p/3 + 4 &= 0 \\ P &= -8 \\ 3x^2 - 8x + 4 &= 0 \\ 3x^2 - 6x - 2x + 4 &= 0 \\ X = 2/3 \text{ or } x &= 2 \\ \text{Hence, } x &= 2 \end{aligned}$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |

| | | |
|------------|---|---|
| | OR | |
| | $\alpha + \beta = 5 \quad \dots(1)$ $\alpha - \beta = 1 \quad \dots(2)$ Solving (1) and (2), we get $\alpha = 3$ and $\beta = 2$ also $\alpha\beta = 6$ or $3(k-1) = 6$ $k-1=2$ $k=3$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 29. | <p>Area of 1 segment = area of sector – area of triangle</p> $= \left(\frac{90^\circ}{360^\circ}\right)\pi r^2 - \frac{1}{2} \times 7 \times 7$ $= \frac{1}{4} \times 22/7 \times 7^2 - \frac{1}{2} \times 7 \times 7$ $= 14 \text{ cm}^2$ <p>Area of 8 segments = $8 \times 14 = 112 \text{ cm}^2$</p> <p>Area of the shaded region = $14 \times 14 - 112$</p> $= 196 - 112 = 84 \text{ cm}^2$ <p>(each petal is divided into 2 segments)</p> | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 30. | $\Delta ABC \sim \Delta DEF$ $\frac{\text{Perimeter } (\Delta ABC)}{\text{Perimeter } (\Delta DEF)} = \frac{AB+BC+CA}{DE+EF+FD} = \frac{AB}{DE}$ $\frac{25}{15} = \frac{9}{X}$ $X = 5.4 \text{ cm}$ $DE = 5.4 \text{ cm}$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| | OR | |
| |  <p>Construction-Draw $AM \perp BC$</p> <p>$BD \perp 1/3 BC$, $BM = 1/2 BC$</p> <p>In ΔABM,</p> $AB^2 = AM^2 + BM^2$ $= AM^2 + (BD + DM)^2$ $= AM^2 + DM^2 + BD^2 + 2BD \cdot DM$ $= AD^2 + BD^2 + 2BD(BM - BD)$ $= AD^2 + (BC/3)^2 + 2 \cdot BC/3 \cdot (BC/2 - BC/3)$ $= AD^2 + 2BC^2/9$ $= AD^2 + 2AB^2/9$ <p>Hence, $7AB^2 = 9AD^2$</p> | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |

| 31. | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Class</th><th style="text-align: center;">Frequency</th><th style="text-align: center;">Cumulative frequency</th><th style="text-align: right; vertical-align: bottom;">$\frac{1}{2}$</th></tr> </thead> <tbody> <tr><td>0-5</td><td style="text-align: center;">12</td><td style="text-align: center;">12</td><td></td></tr> <tr><td>5-10</td><td style="text-align: center;">a</td><td style="text-align: center;">12+a</td><td></td></tr> <tr><td>10-15</td><td style="text-align: center;">12</td><td style="text-align: center;">24+a</td><td></td></tr> <tr><td>15-20</td><td style="text-align: center;">15</td><td style="text-align: center;">39+a</td><td></td></tr> <tr><td>20-25</td><td style="text-align: center;">b</td><td style="text-align: center;">39+a+b</td><td></td></tr> <tr><td>25-30</td><td style="text-align: center;">6</td><td style="text-align: center;">45+a+b</td><td></td></tr> <tr><td>30-35</td><td style="text-align: center;">6</td><td style="text-align: center;">51+a+b</td><td></td></tr> <tr><td>35-40</td><td style="text-align: center;">4</td><td style="text-align: center;">55+a+b</td><td></td></tr> <tr><td>Total</td><td style="text-align: center;">70</td><td></td><td></td></tr> </tbody> </table> <p style="margin-top: 20px;"> $55+a+b=70$ $a+b=15$ </p> <p style="margin-top: 20px;"> $\text{median} = l + \frac{\frac{N}{2} - cf}{f} \times h$ $16 = 15 + \frac{35-24-a}{15} \times 5$ $1 = (11-a)/3$ $A=8$ </p> <p style="margin-top: 20px;"> $55+a+b=70$ $55+8+b=70$ $B=7$ </p> | Class | Frequency | Cumulative frequency | $\frac{1}{2}$ | 0-5 | 12 | 12 | | 5-10 | a | 12+a | | 10-15 | 12 | 24+a | | 15-20 | 15 | 39+a | | 20-25 | b | 39+a+b | | 25-30 | 6 | 45+a+b | | 30-35 | 6 | 51+a+b | | 35-40 | 4 | 55+a+b | | Total | 70 | | | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
|-------|---|--|---------------|----------------------|---------------|-----|----|----|--|------|---|------|--|-------|----|------|--|-------|----|------|--|-------|---|--------|--|-------|---|--------|--|-------|---|--------|--|-------|---|--------|--|-------|----|--|--|---|
| Class | Frequency | Cumulative frequency | $\frac{1}{2}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0-5 | 12 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5-10 | a | 12+a | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10-15 | 12 | 24+a | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15-20 | 15 | 39+a | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20-25 | b | 39+a+b | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25-30 | 6 | 45+a+b | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30-35 | 6 | 51+a+b | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35-40 | 4 | 55+a+b | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32. |  <p style="margin-top: 20px;"> Let AB=candle C and D are coins $\tan 60^\circ = AB/BC = h/b$ $\sqrt{3} = h/b$ $H = b\sqrt{3}$ ----- (1) $\tan 30^\circ = AB/BD = h/a$ $1/\sqrt{3} = h/a$ $H = a/\sqrt{3}$ ----- (2) Multiplying (1) and (2), we get $H^2 = b\sqrt{3} \times a/\sqrt{3}$ $H^2 = b a$ $H = \sqrt{ab} \text{ m}$ </p> | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|---|
| 33. $\text{Mode} = l + \frac{f_1 - f_0}{2f_1 - f_2 - f_0} \times h$ $67 = 60 + \frac{15-x}{30-12-x} \times 10$ $7 = \frac{15-x}{18-x} \times 10$ $7x(18-x) = 10(15-x)$ $126 - 7x = 150 - 10x$ $3x = 150 - 126$ $3x = 24$ $X = 8$ | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |
| 34.  <p>Let BD=river AB=CD=palm trees=h BO=x OD=80-x In $\triangle ABO$, $\tan 60^\circ = h/x$ $\sqrt{3} = h/x$ ----- (1) $H = \sqrt{3}x$ In $\triangle CDO$, $\tan 30^\circ = h/(80-x)$ $1/\sqrt{3} = h/(80-x)$ ----- (2) Solving (1) and (2), we get $x=20$ $H = \sqrt{3}x = 34.6$ the height of the trees = $h = 34.6\text{m}$ $BO = x = 20\text{m}$ $DO = 80 - x = 80 - 20 = 60\text{m}$</p> | 1 $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ |

OR



Let AB=Building of height 50m

RT= tower of height= h m

BT=AS=x m

AB=ST=50 m

RS=TR-TS=(h-50)m

In $\triangle ARS$, $\tan 30^\circ = RS/AS$

$$1/\sqrt{3} = (h-50)/x \quad \dots\dots\dots(1)$$

In $\triangle RBT$, $\tan 60^\circ = RT/BT$

$$\sqrt{3} = h/x \quad \dots\dots\dots(2)$$

Solving (1) and (2), we get

$$h = 75$$

from (2)

$$x = h/\sqrt{3}$$

$$= 75/\sqrt{3}$$

$$= 25\sqrt{3}$$

Hence, height of the tower=h=75m

Distance between the building and the tower= $25\sqrt{3}=43.25\text{m}$

1

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

35.

For pipe , $r = 1\text{cm}$

Length of water flowing in 1 sec, $h=0.7\text{m}=7\text{cm}$

Cylindrical Tank, $R=40\text{ cm}$, rise in water level= H

$$\begin{aligned} \text{Volume of water flowing in 1 sec} &= \pi r^2 h = \pi \times 1 \times 1 \times 70 \\ &= 70\pi \end{aligned}$$

$$\text{Volume of water flowing in 60 sec} = 70\pi \times 60$$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

1

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$$\text{Volume of water flowing in 30 minutes} = 70\pi \times 60 \times 30$$

$$\text{Volume of water in Tank} = \pi r^2 H = \pi \times 40 \times 40 \times H$$

$$\begin{aligned} \text{Volume of water in Tank} &= \text{Volume of water flowing in 30} \\ &\text{minutes} \end{aligned}$$

$$\pi \times 40 \times 40 \times H = 70\pi \times 60 \times 30$$

$$H = 78.75\text{cm}$$

| | | |
|-----|---|--|
| 36. | <p>Let speed of the boat in still water =x km/hr, and Speed of the current =y km/hr Downstream speed =($x+y$) km/hr Upstream speed =($x-y$) km/hr $\frac{24}{x+y} + \frac{16}{x-y} = 6$-----(1)</p> <p>$\frac{36}{x+y} + \frac{12}{x-y} = 6$-----(2)</p> <p>Let $\frac{1}{x+y} = u$ and $\frac{1}{x-y} = v$</p> <p>Put in the above equation we get, $24u+16v=6$ Or, $12u+8v=3$... (3) $36u+12v=6$ Or, $6u+2v=1$... (4) Multiplying (4) by 4, we get, $24u+8v=4v$... (5) Subtracting (3) by (5), we get, $12u=1$ $\Rightarrow u=1/12$ Putting the value of u in (4), we get, $v=1/4$ $\Rightarrow \frac{1}{x+y} = \frac{1}{12}$ and $\frac{1}{x-y} = \frac{1}{4}$ $\Rightarrow x+y=12$ and $x-y=4$ Thus, speed of the boat in still water = 8 km/hr, Speed of the current = 4 km/hr</p> | $\frac{1}{2}$ $\frac{1}{2}$ |
|-----|---|--|